

AD-A171 327

GENETIC MARKERS OF HOST RESISTANCE AND/OR
SUSCEPTIBILITY TO THE LETHAL EF. (U) STATE
YORK AT STONY BROOK HEALTH SCIENCES CENTER

UNIV OF NEW


1/1


UNCLASSIFIED

F T RAPAPORT 01 DEC 85 DNA-TR-86-11

F/G 6/18

NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

AD-A171 327

DNA-TR-86-11

**GENETIC MARKERS OF HOST RESISTANCE AND/OR
SUSCEPTIBILITY TO THE LETHAL EFFECTS OF RADIATION
AND COMBINED RADIATION-BURN INJURIES**

**State University of New York at Stony Brook
Department of Surgery, School of Medicine
Health Sciences Center
Long Island, NY 11794**

1 December 1985

Technical Report

CONTRACT No. DNA 001-84-C-0166

**Approved for public release;
distribution is unlimited.**

**THIS WORK WAS SPONSORED BY THE DEFENSE NUCLEAR AGENCY
UNDER RDT&E RMC CODE B3500844662 RM RK 00095 25904D.**

**Prepared for
Director
DEFENSE NUCLEAR AGENCY
Washington, DC 20305-1000**

**DTIC
ELECTE
AUG 28 1986
B**

DTIC FILE COPY

86 8 27 031

Destroy this report when it is no longer needed. Do not return to sender.

PLEASE NOTIFY THE DEFENSE NUCLEAR AGENCY,
ATTN: STTI, WASHINGTON, DC 20305-1000, IF YOUR
ADDRESS IS INCORRECT, IF YOU WISH IT DELETED
FROM THE DISTRIBUTION LIST, OR IF THE ADDRESSEE
IS NO LONGER EMPLOYED BY YOUR ORGANIZATION.



DISTRIBUTION LIST UPDATE

This mailer is provided to enable DNA to maintain current distribution lists for reports. We would appreciate your providing the requested information.

- ☐ Add the individual listed to your distribution list.
- ☐ Delete the cited organization/individual.
- ☐ Change of address.

NAME: _____

ORGANIZATION: _____

OLD ADDRESS

CURRENT ADDRESS

TELEPHONE NUMBER: () _____

SUBJECT AREA(s) OF INTEREST:

DNA OR OTHER GOVERNMENT CONTRACT NUMBER: _____

CERTIFICATION OF NEED-TO-KNOW BY GOVERNMENT SPONSOR (if other than DNA):

SPONSORING ORGANIZATION: _____

CONTRACTING OFFICER OR REPRESENTATIVE: _____

SIGNATURE: _____

Director
Defense Nuclear Agency
ATTN: STTI
Washington, DC 20305-1000

Director
Defense Nuclear Agency
ATTN: STTI
Washington, DC 20305-1000

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

AD-A171327

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188
Exp. Date: Jun 30, 1986

1a REPORT SECURITY CLASSIFICATION UNCLASSIFIED		1b RESTRICTIVE MARKINGS	
2a SECURITY CLASSIFICATION AUTHORITY N/A since Unclassified		3 DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution is unlimited.	
2b DECLASSIFICATION/DOWNGRADING SCHEDULE N/A since Unclassified			
4 PERFORMING ORGANIZATION REPORT NUMBER(S)		5 MONITORING ORGANIZATION REPORT NUMBER(S) DNA-TR-86-11	
6a NAME OF PERFORMING ORGANIZATION State University of New York at Stony Brook	6b OFFICE SYMBOL (If applicable)	7a NAME OF MONITORING ORGANIZATION Director Defense Nuclear Agency	
6c ADDRESS (City, State, and ZIP Code) Department of Surgery, School of Medicine Health Sciences Center Long Island, NY 11794		7b ADDRESS (City, State, and ZIP Code) Washington, DC 20305-1000	
8a NAME OF FUNDING/SPONSORING ORGANIZATION	8b OFFICE SYMBOL (If applicable)	9 PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER DNA 001-84-C-0166	
8c ADDRESS (City, State, and ZIP Code)		10 SOURCE OF FUNDING NUMBERS	
		PROGRAM ELEMENT NO 62715H	TASK NO RM
		TASK NO RK	WORK UNIT ACCESSION NO DH008311
11 TITLE (Include Security Classification) GENETIC MARKERS OF HOST RESISTANCE AND/OR SUSCEPTIBILITY TO THE LETHAL EFFECTS OF RADIATION AND COMBINED RADIATION-BURN INJURIES			
12 PERSONAL AUTHOR(S) Rapaport, Felix T., Professor of Surgery, State University of New York at Stony Brook;			
13a TYPE OF REPORT Technical	13b TIME COVERED FROM 840302 TO 851031	14 DATE OF REPORT (Year, Month, Day) 851201	15 PAGE COUNT 28
16 SUPPLEMENTARY NOTATION This work was sponsored by the Defense Nuclear Agency under RDT&E RMC Code B3500844662 RM RK 00095 259040.			
17 COSATI CODES		18 SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	SUB GROUP	
6	18	Ionizing Radiation Mortality Genetics	
6	3	Genetic Factors Test Animals Rodents	
6	3	Lethality	
19 ABSTRACT (Continue on reverse if necessary and identify by block number) The results suggest that strains of rats of differing genetic backgrounds differ widely in their susceptibility to the lethal effects of ionizing radiation. Just as has been observed in the same species with thermal injury, the capacity of rats to withstand the lethal effects of irradiation appear to be governed by genetic factors. The 8 inbred and 2 randomly bred strains of rats tested could be grouped (on the basis of LD50/30 determinations) into three categories, ranging from highly susceptible (ACI and BN) strains to 5 strains of intermediate susceptibility (W, OM SD, LEW DA) and to 3 highly resistant, i.e., least susceptible strains (WF, F344, BUF). As observed earlier with thermal injury, females of the same strain were more susceptible to the lethal effects of radiation; this effect was particularly marked in pigmented strains. Two inbred pigmented strains bearing train h^i/h^i (homozygous recessive h^i gene for coat color) were the most susceptible to radiation vis-a-vis 7 other albino strains and one other pigmented strain (DA), which lacks the h^i/h^i gene. There may therefore be an association between skin pigmentation and/or coat color and the genetic determinants of			
20 DISTRIBUTION/AVAILABILITY OF ABSTRACT <input type="checkbox"/> UNCLASSIFIED/UNLIMITED <input checked="" type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS		21 ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED	
22a NAME OF RESPONSIBLE INDIVIDUAL Betty L. Fox		22b TELEPHONE (Include Area Code) (202) 325-7042	22c OFFICE SYMBOL DNA/STTI

DD FORM 1473, 84 MAR

83 APR edition may be used until exhausted
All other editions are obsolete

SECURITY CLASSIFICATION OF THIS PAGE

UNCLASSIFIED

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

12. PERSONAL AUTHOR(S) (Continued)

Gill III, Thomas J., Professor and Chairman of Pathology, University of Pittsburgh;
Kunx, Heinz, Associate Professor of Pathology, University of Pittsburgh

19. ABSTRACT (Continued)

susceptibility to the lethal effects of radiation. Comparison of the susceptibility of the same strains to the lethal effects of severe thermal injury provides no evidence of a parallel influence of skin pigmentation or coat color upon such susceptibility. While one pigmented strain (ACI) was most highly susceptible, the other pigmented strain (BN) was in the least susceptible category. The evidence also points to the probability that MHC factors are not involved in conditioning host susceptibility to severe radiation injury. When comparing the effects of thermal injury and radiation, the results have identified (a) one strain (ACI, which is pigmented and bears the h^i/h^i trait) that is highly susceptible to both thermal and radiation injury; (b) one strain that is highly resistant to both types of injury (BUF, which is albino); (c) one strain which is highly susceptible to thermal injury but highly resistant to radiation (F344, which is albino); and (d) one strain which is highly resistant to thermal injury, but highly susceptible to radiation (BN, which is pigmented, and bears strain h^i/h^i). These characteristics (1. skin pigmentation, 2. coat color, 3. susceptibility to thermal injury; 4. susceptibility to radiation) may be amenable to genetic analysis in breeding experiments in these four species, where back-cross studies may permit separation of skin color and the h^i trait, in order to determine which of these characteristics is directly associated with susceptibility to radiation. The possible separability of host susceptibility to thermal injury and to radiation will be of singular usefulness in developing a genetic model of host reactivity to these modalities.

The data provide an explanation for the additive effects of burns and radiation described in earlier studies since such studies were performed in male albino rats of undefined genetic backgrounds. The identification in the current study of inbred rat strains which differ exquisitely in susceptibility to either burns or radiation may provide an altogether new approach to the genetic analysis of the factors which control host responses to either injury. The possible association of genetically separable components with high susceptibility to radiation injury (skin pigmentation, coat color) is of particular interest. Further studies may provide an approach to prospective identification of individuals who are susceptible to either injury, and may be of particular importance from a military, civil defense and space research standpoint.

SECURITY CLASSIFICATION OF THIS PAGE

UNCLASSIFIED

TABLE OF CONTENTS

SECTION		PAGE
1	INTRODUCTION	1
2	MATERIALS AND METHODS	2
3	RESULTS	4
4	DISCUSSION	7

LIST OF TABLES

TABLE		PAGE
1	Strains and numbers of rats used thus far in this study	9
2	Strains of rats tested during the present reporting period and radiation dose ranges utilized	10
3	Calculated LD/30 (r.) of total body irradiation in different strains of inbred and random-bred rats - relationship to MHC products, sex and skin pigmentation.	11
4	Comparative susceptibility of male and female rats from different strains to the lethal effects of severe thermal injury and total body irradiation - relationship to skin pigmentation and coat color genotype	12



Accession No.	
NTIS	<input checked="" type="checkbox"/>
DTIC	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justified	<input type="checkbox"/>
By _____	
Dist _____	
Availability Codes	
Dist	_____
A-1	_____

SECTION 1

INTRODUCTION

Previous studies in this laboratory have shown that the broad variations in host resistance and mortality observed after severe thermal injury are under genetic control, and that the specific genetic background of the injured host can provide a predictive index of the recipient's course after injury. In these studies, significant variations occurred in the response of outbred and inbred strains of rats to exposure to a standard 40% body surface area full-thickness skin burn. Some strains were highly susceptible to injury (95% to 100% mortality); other strains showed intermediate susceptibility (45% to 65% mortality), while others were highly resistant (4% to 14% mortality) to the same injury.

The documented additive effects of thermal injury and ionizing radiation have raised the possibility that host resistance and/or susceptibility to ionizing radiation might be amenable to genetic analysis in the same manner as was observed in severe burns. It also appeared of interest to ascertain whether the genetic factor(s) (if any) controlling host susceptibility to ionizing radiation were closely linked to or identical with the genetic factor(s) identified in the control of the host's natural resistance or susceptibility to the lethal effects of severe thermal injury. Specifically, the current project proposes to identify and analyze genetic parameters in determining host resistance and/or susceptibility to ionizing radiation, utilizing a standard end-point of mortality following graduated dose and time-controlled exposure to ionizing radiation. The first portion of the project involves the selection of a number of strains of inbred and outbred rats, and their exposure to ionizing radiation under the same conditions, followed by a determination of the mortality observed in each strain, in association with detailed necropsy and microbiological studies in each animal succumbing to the effects of ionizing radiation.

SECTION 2

MATERIALS AND METHODS

The experimental animals were male and female rats from 10 different strains, including 7 inbred strains {ACI; Brown-Norwegian (BN); Buffalo (BUF); Dark Agouti (DA); Fisher (F344); Lewis; Wistar-Furth (WF)}, and 3 outbred strains {Osborne-Mendel (OM); Sprague-Dawley (SD) and Wistar (WI)}. The animals were obtained from the World Reference Center for Rat Immunogenetics, Department of Pathology, University of Pittsburgh School of Medicine, and from commercial breeding sources, including Microbiological Associates (Walkersville, Md.), Camm Research (Wayne, N.J.), the Charles River Laboratories (Wilmington, Maine), the Harlan-Sprague Dawley Laboratories (Indianapolis, In), the Taconic Farms (Taconic, N.Y.) and the Trudeau Institute (Saranac Lake, N.Y.) (Table I).

All animals were acclimatized for 3 weeks in the Division of Animal Laboratory Resources at S.U.N.Y. at Stony Brook before exposure to radiation. The animals were housed in individual cages, and kept in a controlled environment room maintained at $22-25^{\circ}\text{C} \pm 1^{\circ}\text{C}$ and 40% humidity. A standard Purina pellet diet, and water, were provided ad libitum.

Host exposure to ionizing radiation was provided with a Gammacell 40 Cesium-137 irradiation unit (Atomic Energy of Canada, Ltd., Ottawa, Canada), which provides a highly reliable and reproducible source of uniform total body gamma irradiation for small animals, under controlled rate and dosage conditions. This unit includes an air compressor with reservoir tank, as a source of filtered and regulated air for ventilation purposes. After exposure to a predetermined dose of total body irradiation, the rats were returned to the same controlled environment, and were followed closely for the following 30 days. During this time, all animals were observed twice daily, and cumulative mortalities in each experimental group were determined. Necropsy and microbiological studies were performed in succumbing animals. The statistical significance of the mortality data was analyzed by the nonlinear method of least squares. Particular attention was paid to evidence of differences in susceptibility to irradiation in inbred rat strains of differing genetic backgrounds. Evidence was also sought for the possible existence of sex-linked determinants which might also exert an influence upon the results. For this purpose, the results observed in parallel groups of male and female rats of the same strain exposed to the same dose of irradiation were compared in systematic fashion in each of the strains studied.

The first goal of the study was to establish the appropriate dose of irradiation capable of yielding a 50% mortality rate within 30 days within each strain of rats under study ($\text{LD}_{50/30}$). For this purpose, groups of male and of female rats from each strain were exposed to radiation doses ranging from 600 to 1,200 r in the Gammacell 40 unit, in various incremental doses. The initial test doses selected were based on earlier data in some of the strains, available in the literature, in order to identify rapidly the optimum informative dose range for each strain. A total of 1,816 rats from 8 inbred, and 2 outbred strains has been studied, and the results are outlined in this Report. The scope and timing of the experiments and the number of animals included in each group were conditioned significantly by the available supply of many of these strains from commercial sources, and the occurrence this year of a severe

epizootic infection in the Pittsburgh Rat Vivarium. In spite of these limiting factors, work has now been completed in all strains.

For the necropsy and microbiological studies, each animal succumbing to the effects of ionizing radiation was first weighed and examined grossly. All animals were placed after death in a sterile plastic envelope which was sealed and stored at 4°C until necropsy. The average time elapsing between death and necropsy was generally 12 hrs. Following a search for arthropods, swabs of the oropharynx were obtained for bacterial culture, and, after cleansing the animal, a ventral midline incision was made from mandible to anus, and the skin was reflected from the underlying muscles. The trachea was freed by blunt dissection, and was partially transected. The tip of a sterile Pasteur pipette, containing 0.5 ml of sterile water was inserted into the trachea, and water was flushed gently into the lungs and reaspirated. These bronchial washings were inoculated on blood agar plates and any microbial colonies found at 18-24 hrs were subcultured. Similar nasopharyngeal washings were obtained and cultured. The entire ventral body wall overlying the abdominal and thoracic cavities was then excised, and the viscera were examined. Using a red-heated spatula, the liver surface was seared, and the burned area was excised with a scalpel. A sterile cotton swab was then rotated in the exposed liver tissue. The swab was also cultured in blood agar. The entire spleen was grasped with sterile forceps and freed of omental and vascular attachments. Specimens were saved for histology and the remainder was emulsified in sterile water. The emulsion was cultured in blood agar, and any 18 hr microbial growth was subcultured in standard fashion.

The ribs were broken dorsally, and a blood sample was aspirated directly from the right heart. The aspirate was cultured on blood agar plates, and any bacterial colonies isolated at 18 hrs were subcultured. The thoracic organs were then removed en bloc. The organs were examined, and the left lung was removed for histologic study. The intestinal loops were examined, and a 2 cm length of distal ileum was dissected free. A drop of ileal contents was examined microscopically, and ileal tissue was placed in formalin for histologic study. The cecum was dissected free and examined for helminths. Where indicated, specimens of duodenum, jejunum, ileum, and colon were excised for histologic study. The kidneys and liver were examined and sections were taken for histologic study. The colon was transected at the rectum, and a few fecal pellets were extruded for study of the enteric flora. The urinary bladder was transected and checked for helminths. All swabs, washings and tissue specimens underwent careful microbiological analysis, using standard culture plates and media (Analytab Products, Inc., South Plainfield, N.J. - API 20E System; and American Scientific Products, Edison, N.J. - NF 180 System).

SECTION 3

RESULTS

The individual strains and numbers of rats used in this study are outlined in Table I. Ten different strains of rats, including 8 inbred strains of rats and 2 random bred strains (Sprague-Dawley and Wistar) were selected for this study. As shown in Table I, the inbred strains of rats were characterized by a spectrum of Rt.1 haplotypes, including a, b, l, n, and u (Rt.1 is the main histocompatibility complex (MHC) in the rat species). A total of 1,815 rats, including 905 males and 911 females, obtained from 6 different sources has been studied.

In order to ascertain the LD_{50/30} (in r.) of total body irradiation, each strain of rats was exposed to a range of total body irradiation extending from 600 to 1,200 r., as shown in Table II. Informative results have now been obtained in all strains, and confirmatory studies have highlighted the reproducibility of the reported results. The LD_{50/30} was calculated statistically on the basis of regression analysis of the linear portion of the dose response curves provided by the results outlined in Table II. For the purposes of this study, individual groups of male and female rats of each strain, including at least 8-12 members in each group, were exposed to a predetermined dose of irradiation under standardized condition, and were then observed for the following 30 days. As shown in Table III, the inbred ACI and BN rats were the two strains most susceptible to the lethal effects of irradiation. The comparative degree of susceptibility was determined on the basis of calculated LD_{50/30} of radiation under standardized conditions in these strains. For example, a strain such as ACI, in which the radiation LD_{50/30} in males was 662 r was considered more susceptible to irradiation than the BUF strain, where the LD_{50/30} was 864 r. Generally similar results were noted in female rats. As shown in Table III the strains fell into a most susceptible group (ACI and BN), an intermediate group (W, OM, SD, LEW and DA), and a least susceptible group of strains, which included the F-344, WF and BUF rats. The differences in strain susceptibility to irradiation were significant at levels of $P < 0.005-0.001$ in males as well as females. Taken together, the differential susceptibility of various different inbred strains of rats to the lethal effects of radiation injury are in harmony with the conclusion that such susceptibility in parallel with earlier studies of thermal injury may also be under genetic control. Further study of congenic strains will be required, however, to confirm this possibility.

Earlier data outlined in an Interim Progress Report submitted to the Defense Nuclear Agency on 1 April 1985 alluded to a possibility of differences in host susceptibility to radiation during the growth and plateau phases of development within the same strain. These data were based upon studies in a limited group of rats, and have not been confirmed when the series of animals tested was enlarged.

There have, however, been several additional findings which appear to be of special interest. The first is that, in parallel with the observations made in the course of earlier studies of host susceptibility to thermal injury, females are significantly more susceptible to the effects of the same dose of irradiation than males of the same strain. This finding was particularly evident in the more highly susceptible (ACI, BN) and in the pigmented strains

(ACI, BN, DA) and in one albino strain (LEW) ($P < 0.001$) (Table III). The data outlined in Table III also point to the probability that products of the rat MHC do not have an influence upon host susceptibility to radiation. For example, the most highly susceptible strain (ACI) bears the MHC genotype $Rt.1^a$, and shares this trait with the intermediate-susceptibility strain DA, while the highly resistant WF strain bears $Rt.1^u$, in common with the intermediate susceptibility strain OM.

Table IV provides a correlation between levels of host susceptibility to radiation injury and the skin pigmentation and coat color of the rat strains examined. It appears to be of particular interest that the two most susceptible strains (ACI, BN) are pigmented, although the other pigmented strain (DA) is only of intermediate susceptibility. Further genotyping analysis of these strains indicates, however, that, while the ACI and BN strains share the h^1/h^1 (hooded Irish recessive gene), and a/a , b/b , C/C , h^1/h^1 , respectively, the third pigmented strain, DA lacks this particular trait (as shown in Table IV, the DA genotype is A/A , B/B , C/C). These observations raise the very intriguing possibility that genetic determinants coding for skin pigmentation and/or coat color may also be of importance in determining the fate of a given host upon exposure to radiation. Such a possibility may provide a uniquely valuable approach to further genetic study of the genetics of host susceptibility to radiation injury.

Table IV also provides a comparison between the rankings of host susceptibility to thermal injury and radiation injury. The two strains found to be most susceptible to the mortality of severe burns were ACI and F-344, and the least susceptible were BN and BUF. In contrast, the two strains most susceptible to radiation were ACI and BN, and the two least susceptible strains were F-344 and BUF. These four inbred strains of rats may therefore provide a valuable opportunity to separate by selective breeding the genetic determinants implicated in host susceptibility to thermal injury on the one hand, and to radiation on the other.

NECROPSY AND MICROBIOLOGICAL STUDIES

Rats dying after irradiation underwent necropsy examination and dissection, with microscopic study where indicated, as well as microbiologic study of 6 body locations, and bone marrow cytologic examinations. The results were analyzed in terms of early, middle, and late periods, corresponding to death within 1-7, 8-14, and 15-30 days, respectively, after irradiation.

From the standpoint of gross lesions and clinical signs, the most prominent findings in the 1-7 and 8-14 day groups were dehydration, sanguineous nasal and ocular discharges, and diarrhea. These signs were less evident in the 15-21 day group. Microbiologic results were determined in each of 6 locations: (1) oropharynx, (2) tracheopulmonary airways, (3) cardiac blood, (4) liver, (5) spleen and (6) nasopharynx. The results were somewhat obscured by one ubiquitous microorganism, *Proteus vulgaris* (Pv), which occurred in 100% of all cultured animals. *Pseudomonas aeruginosa* (PA) could be identified, however, where present, by interpreting the presence of other cytochrome oxidase (+) forms as representing PA. Pv was common in oropharyngeal isolates along with PA, and a variety of coliforms, mainly *Escherichia coli* (EC). The results were similar in the nasopharynx and tracheopulmonary airways; here, also, PA predominated in 90-95% of the animals in the early, middle or late

death groups. Similar data were obtained with cardiac blood, liver and spleen. All organs were infected with PA, and Py was a frequent contaminant as well.

Microscopic study showed diffuse centrilobular hepatocellular degeneration in 75-100% of all rats in the early and middle death groups. Almost all of the examined kidneys (90-100%) showed a moderate primary tubular injury and degeneration of the ascending and descending loops of Henle, in cortex and medulla. The adrenal glands appeared grossly and microscopically normal. Three levels of intestine (duodenum, ileum, colon) were examined routinely in rats from the early, middle and late death groups. The tissues were affected by radiation, with a progression from essentially normal specimens to necrosis of the tips of the villi, and to mucosal necrosis and sloughing. The lesions were most severe in the duodenum, intermediate in the ileum, and mildest in the colon. The lungs were also affected; the primary target was the airway epithelium, especially in the bronchi and bronchioles. Different areas of the same lobe, or even of the same bronchus, were noted to develop either hyperplasia and redundancy of the epithelium, or necrosis and sloughing of the epithelium, leaving ulcerated surfaces. Metaplasia to a thin, cuboidal epithelium occurred often in these areas. The primary epithelial lesions were associated with accumulation of edema fluid and/or blood in the lumen of the affected bronchus. This, in turn, produced sanguineous nasal and ocular discharges. The lesions occurred in all rats studied.

Irradiation had a severe effect upon the bone marrow (BM). The mean cellularity of the BM was 1.75 in the early (1-5 day deaths) group; it decreased to 1.65 in the intermediate (8-14 day deaths), and was 1.3 in the late deaths group. Bone marrow repair in the late group was particularly impaired (as evidenced by lack of cellular regeneration). As regards body weight, the animals lost 30-40% of their baseline body weight during the 2 weeks following exposure to ionizing radiation. The chief determinant of the weight loss and associated dehydration appeared to be the radiation-induced interference with gastrointestinal epithelial function.

Pathological and microbiological observations were consistent in all rat strains studied. The primary targets and most severe lesions in the early deaths group were the tubular epithelium of the gastrointestinal tract, with particular severity in the duodenum; the respiratory tract was also affected. Subsequent deaths could be ascribed more prominently to failure of bone marrow function.

SECTION 4

DISCUSSION

The results submitted in this report suggest that, under the same experimental conditions, strains of rats of differing genetic backgrounds differ widely in their susceptibility to the lethal effects of ionizing radiation. Just as has been observed in the same species with severe thermal injury, the capacity of rats to withstand the lethal effects of irradiation appear to be governed by genetic factors. The 8 inbred and 2 randomly bred strains of rats tested could be grouped (on the basis of LD_{50/30} determinations) into three categories, ranging from highly susceptible (ACI and BN) strains to 5 strains of intermediate susceptibility (W, OM SD, LEW DA) and to 3 highly resistant (i.e., least susceptible) strains (WF, F344, BUF). As observed earlier with thermal injury, females of the same strain were more susceptible to the lethal effects of radiation; this effect was particularly marked in the pigmented strains. It seemed to be of particular interest that the two inbred pigmented strains bearing trait h^1/h^1 (homozygous recessive "Irish" gene for coat color) were the two strains most susceptible to radiation injury, vis-a-vis, 7 other albino strains and one other pigmented strain (DA), which lacks the h^1/h^1 gene. There may therefore be an association between skin pigmentation and/or coat color, and the genetic determinants of host susceptibility to the lethal effects of radiation. The evidence does not, at this time, support an association between products of the rat MHC and host susceptibility to irradiation.

Analysis of these results, and a comparison of the susceptibility of the same strains to the lethal effects of severe thermal injury provides no evidence of a parallel influence of skin pigmentation or coat color upon such susceptibility. While one pigmented strain (ACI) was most highly susceptible (Table IV), the other pigmented strain (BN) was in the least susceptible category. The evidence also points to the probability that MHC factors are not involved in conditioning host susceptibility to severe thermal injury. When comparing the effects of thermal injury and of radiation in the rat strains studied for both modalities, it appears that the results have identified (a) one strain (ACI, which is pigmented and bears the h^1/h^1 trait) that is highly susceptible to both thermal and radiation injury; (b) one strain that is highly resistant to both types of injury (BUF, which is albino); (c) one strain which is highly susceptible to thermal injury but highly resistant to radiation (F344, which is albino); and (d) one strain which is highly resistant to thermal injury, but highly susceptible to radiation (BN, which is pigmented, and bears trait h^1/h^1). These characteristics (1. skin pigmentation, 2. coat color, 3. susceptibility to thermal injury; 4. susceptibility to radiation) may therefore be amenable to genetic analysis in specific breeding experiments in these four species, where back-cross studies may permit a separation of skin color and the h^1 trait, in order to determine which of these characteristics is directly associated with host susceptibility to radiation. The possible separability of host susceptibility to thermal injury and to radiation will also be of singular usefulness in developing a genetic model of host reactivity to these two modalities.

With the exceptions noted (i.e., F344 and BN strains), there is an interesting parallelism between the hierarchy of strain susceptibility to thermal and radiation injury. In both instances, ACI rats were the most susceptible, and BUF rats were the least susceptible; WF rats were also in the

least susceptible category (Table IV). The W, LEW, OM and SD strains were in the intermediate category for susceptibility in thermal as well as radiation injury. This category, as might have been anticipated included the two outbred strains tested (W, SD) in both studies. Taken together, these data may provide an explanation for the additive effects of burns and radiation described by other authors in earlier studies since such studies were performed in male albino rats of undefined genetic backgrounds. The identification in the current study of inbred rat strains which differ exquisitely in their susceptibility to either burns or radiation may provide an altogether new approach to the genetic analysis of the factors which control host responses to either form of injury. The possible association of genetically separable components associated with high susceptibility to radiation injury (skin pigmentation, coat color) is of particular interest in this regard. The possibility that such studies may provide an eventual approach to the prospective identification of those individuals who may be susceptible or resistant to either form of injury, may be of particular importance from a military, civil defense and space research standpoint.

The results of necropsy and microbiological studies suggest that, regardless of the level of host susceptibility to ionizing radiation, the end process leading to death was essentially similar in all strains. In keeping with earlier observations, the loci minores resistantiae in animals succumbing to irradiation shortly after exposure (early deaths) were the gastrointestinal and respiratory tracts. The principal cause of death appears related at this time to the severity of gastrointestinal injury, with massive diarrhea, fluid loss and resulting hypovolemia and shock. Most animals succumbing during this early phase were either exposed to extremely high doses of radiation (900-1,200 r.) and/or belonged to the most highly susceptible strains, such as ACI and BN. In the late post-radiation group, the principal cause of death was bone marrow dysfunction and/or aplasia. The pathological and physiological findings were generally uniform in all rat strains studied. The severity of the lesions and the actual time of death (early, intermediate, or late) were generally a function of the radiation dose employed, the level of strain specific susceptibility to radiation, and the sex, skin pigmentation and coat color of the animal.

The investigators believe that some important new information regarding the role of genetic factor(s) conditioning host susceptibility to the lethal effects of radiation injury has been developed in the course of the studies performed during this contract period. A number of intriguing new potential avenues of exploration of the genetics of host susceptibility to radiation and to burn injury have been opened. The experiments to be performed in further explorations of these approaches involve breeding of special animal lines (backcrosses, congenic lines, etc.) for which this team enjoys the unique facilities of the World Reference Center Vivarium for Rat Histocompatibility Genetics, at the University of Pittsburgh. It must be noted, however, that such studies are highly time-consuming, and that a minimum period of support for three years would be needed to establish a sound experimental design. A manuscript describing the results obtained thus far, and their biological implication is currently in preparation, and will be submitted for review and clearance by the Defense Nuclear Agency in due course, prior to submission for publication.

Table 1. Strains and numbers of rats used thus far in this study.

STRAIN	Rt1 HAPLOTYPE	NUMBER OF ANIMALS		SOURCE*
		MALE	FEMALE	
ACI	a	96	96	HSD
BN	n	96	96	CR
BUF	b	48	48	HSD
F344	l	33	28	Pit
F344	l	48	48	CR
DA	a	40	36	TI
LEW	l	48	64	CR
OM	u	48	48	Ca
SD	Random Bred	96	96	TF
WI	Random Bred	184	181	CR
WF	u	168	170	HSD
TOTALS:		905	911	1816

*Ca: Camm Research, Wayne, New Jersey

CR: Charles River Labs, Wilmington, Mass.

HSD: Harlan Sprague-Dawley, Indianapolis, Indiana

Pit: University of Pittsburgh School of Medicine, Pittsburgh,
Pa.

TF: Taconic Farms

TI: Trudeau Institute

Table 2. Strains of rats tested during the present reporting period and radiation dose ranges utilized.

Radiation Dose (r.)	ACI				BN				WI				OM			
	Males		Females		Males		Females		Males		Females		Males		Females	
	% Mort.	# of Rats	% Mort.	# of Rats	% Mort.	# of Rats	% Mort.	# of Rats	% Mort.	# of Rats	% Mort.	# of Rats	% Mort.	# of Rats	% Mort.	# of Rats
1200									100	20/20	100	20/20				
1000									95	19/20	100	20/20				
975																
950																
925																
900																
875									100	12/12	100	12/12				
850									90	18/20	95	19/20				
825	100	12/12	100	12/12	100	12/12	100	12/12	81	26/32	100	32/32	75	9/12	83	
800	100	12/12	100	12/12	100	12/12	100	12/12	63	20/32	67	20/30	75	9/12	50	
775	100	12/12	100	12/12	83	10/12	100	12/12	40	8/20	65	13/20	25	3/12	33	
750	100	12/12	83	10/12	100	12/12	92	11/12	40	8/20	55	11/20	0	0/12	33	
725	83	10/12	100	12/12	50	4/8	100	8/8	50	4/8	43	3/7				
700	75	9/12	75	9/12	25	2/8	75	6/8								
675	58	7/12	67	8/12	13	1/8	75	6/8								
650	42	5/12	58	7/12	25	2/8	50	4/8								
625					0	0/8	38	3/8								
600					0	0/8	38	3/8								
575																
550																
525																
500																

1083

OM			SD				LEW				DA				F344-PIT			
Females			Males		Females		Males		Females		Males		Females		Males			
of	%	# of	Mort.	Rats	Mort.	Rats	Mort.	Rats	Mort.	Rats	Mort.	Rats	Mort.	Rats	Mort.	Rats		
12	83	10/12	63	15/24	58	14/24	58	7/12	100	12/12	63	5/8	88	7/8	42	5/12		
12	50	6/12	38	9/24	67	16/24	42	5/12	92	11/12	38	3/8	63	5/8				
12	33	4/12	25	3/12	25	3/12	25	3/12	67	8/12								
12	33	4/12	17	2/12	25	3/12	0	0/12	58	7/12	0	0/8	38	3/8				
			100	12/12	92	11/12									60	6/10		
			83	10/12	92	11/12			94	15/16	75	6/8			54	6/11		

F344-PIT.				F344-CR				WF				BUF			
les		Females		Males		Females		Males		Females		Males		Female	
# of	%	# of	%	# of	%	# of	%	# of	%	# of	%	# of	%	#	%
Rats	Mort.	Rats	Mort.	Rats	Mort.	Rats	Mort.	Rats	Mort.	Rats	Mort.	Rats	Mort.	R	%
								100	20/20	100	20/20				
								95	19/20	100	20/20				
								75	15/20	100	22/22	100	8/8	100	8
												75	6/8	100	8
6/10	92	11/12						80	16/20	65	13/20	50	4/8	88	7
												38	3/8	50	4
6/11	13	2/16						75	15/20	60	12/12				
5/12			0	0/12	0	0/12	25	3/12	42	5/12	50	4/8	38	3	
			0	0/12	0	0/12	6	2/32	16	5/32	25	2/8	13	1	
			17	2/12	0	0/12	17	2/12	17	2/12					
			0	0/12	0	0/12	8	1/12	9	1/12					

Table 3. Calculated LD/30 (r.) of total body irradiation in different strains of inbred and random-bred rats - relationship to MHC products, sex and skin pigmentation.

Strain	Source	Genetic Background And MHC Expression	Number of Rats Tested		*LD 50/30 Of Irradiation (in r)		Skin Pigmentation (Phenotype)	**Difference In Susceptibility In Females Of the Same Strain
			Male	Female	Male	Female		
ACI	HSD	Inbred Rt.1 ^a	96	96	662	642	Pigmented Black body White Belly	P<0.025
BN	CR	Inbred Rt.1 ⁿ	96	96	709	637	Pigmented All Brown	P<0.001
W	CR	Random Bred	184	181	745	731	Albino	N.S.
OM	CRL	Inbred Rt.1 ^u	48	48	792	786	Albino	N.S.
SD	TF	Random Bred	96	96	805	795	Albino	N.S.
LEW	CR	Inbred Rt.1 ⁱ	48	64	812	737	Albino	N.S.
DA	TI	Inbred Rt.1 ^a	40	36	813	772	Pigmented "Agouti" Color	P<0.001
F-344	PIT	Inbred Rt.1 ⁱ	33	28	849	(873)	Albino	N.S.
F-344	CR	Inbred Rt.1 ⁿ	48	48	<825	<825	Albino	N.S.
W-F	HSD	Inbred Rt.1 ^u	168	170	853	839	Albino	N.S.
BUF	HSD	Inbred Rt.1 ^b	48	48	864	854	Albino	N.S.
10 Strains			Total # of Rats:		905	911		

* LD50/30 calculated on the basis of Regression Analysis of the linear portion of the dose response curves in Table II.

** Statistical comparison of mortality rates between male and female rats in each strain was performed using standard analysis of covariance, applied to the linear portion of the respective dose-response curves.

Table 4. Comparative susceptibility of male and female rats from different strains to the lethal effects of severe thermal injury and total body irradiation - relationship to skin pigmentation and coat color genotype.

Relationship of Rat Strain to Hierarchy of Host Susceptibility to Thermal Injury (From Most to Least Susceptible)		Skin Pigmentation And Coat Color In Each Strain		Relationship of Rat Strain to Hierarchy of Host Susceptibility to The Lethal Effects Of Radiation (From Most to Least Susceptible)		Skin Pigmentation And Coat Color In Each Strain		Relationship of Rat Strain to Hierarchy of Host Susceptibility to The Lethal Effects Of Radiation (From Most to Least Susceptible)	
Male	Female	Phenotype	Genotype	Male	Rats	Phenotype	Genotype	Male	Rats
ACI	ACI	Pigmented	a/a,B/B,C/C,h ¹ /h ¹	ACI		Pigmented	a/a,B/B,C/C,h ¹ /h ¹	ACI	
F344	F344	Albino	a/a,c/c,h/h	BN		Pigmented	a/a,b/b,C/C,h ¹ /h ¹	BN	
W		Albino	Random Bred	W		Albino	Random Bred	W	
LEW		Albino	a/a,b/b,h/h	OM		Albino	c/c	LEW	
OM		Albino	c/c	SD		Albino	Random Bred	OM	
SD		Albino	Random Bred	LEW		Albino	a/a,c/c,h/h	DA	
WF	WF	Albino	c/c	DA		Pigmented	A/A,B/B,C/C	SD	
BN	BN	Pigmented	a/a,b/b,C/C,h ¹ /h ¹	F344		Albino	a/a,c/c,h/h	WF	
RUF	RUF	Albino	c/c	WF		Albino	c/c	F344	
				BUF		Albino	c/c	BUF	

DISTRIBUTION LIST

DEPARTMENT OF DEFENSE

ARMED FORCES RADIOBIOLOGY RSCH INST
ATTN: DEPUTY DIRECTOR
ATTN: DIRECTOR
ATTN: SCIENTIFIC DIRECTOR
ATTN: TECHNICAL LIBRARY

ASST SECY OF DEFENSE PUBLIC AFFAIRS
ATTN: ASD (PA)

ASST SECY OF DEFENSE
ATTN: ASD (HA)

DEFENSE INTELLIGENCE AGENCY
ATTN: RTS-2B

DEFENSE NUCLEAR AGENCY
ATTN: GC
ATTN: PAO

10 CYS ATTN: STBE
54 CYS ATTN: STTI-CA

DEFENSE TECHNICAL INFORMATION CENTER
12 CYS ATTN: DD

DEP UNDER SECY OF DEF FOR RSCH & ENGRG
ATTN: DUSDR (RSCH & ADV TECH)

FIELD COMMAND DNA DET 2
LAWRENCE LIVERMORE NATIONAL LAB
ATTN: FC-1

FIELD COMMAND DEFENSE NUCLEAR AGENCY
ATTN: FCL
2 CYS ATTN: FCLS
ATTN: FCTT W SUMMA
ATTN: FCTXE
ATTN: FCTXE

DEPARTMENT OF THE ARMY

HARRY DIAMOND LABORATORIES
ATTN: SLCIS-IM-TL (81100) (TECH LIB)

HQ DEPARTMENT OF THE ARMY
5 CYS ATTN: DAAG-ESG-N NTPR

U S ARMY BALLISTIC RESEARCH LAB
ATTN: DRDAR-BLV-R J MALONEY

U S ARMY CTR OF MILITARY HISTORY
ATTN: LIBRARY

U S ARMY MEDICAL RSCH & DEV CMD
ATTN: SGRD-SD

U S ARMY NUCLEAR & CHEMICAL AGENCY
ATTN: MONA-ZB C DAVIDSON

WALTER REED ARMY MEDICAL CENTER
ATTN: LIBRARY

DEPARTMENT OF THE NAVY

MARINE CORPS HISTORY & MUSEUMS
ATTN: HISTORICAL DIVISION

NATIONAL NAVAL MEDICAL CENTER
ATTN: DEPT OF RADIOLOGY
ATTN: MEDICAL LIBRARY

NAVAL HISTORICAL CENTER
ATTN: DD ALLARD

NAVAL MEDICAL COMMAND
ATTN: MEDCOM-21
ATTN: NM&S-00
ATTN: NM&S-09

NAVAL OCEAN SYSTEMS CENTER
ATTN: TECH LIB

NAVAL SEA SYSTEMS COMMAND
ATTN: SEA-08 M MILES

NAVAL WEAPONS EVALUATION FACILITY
ATTN: CLASSIFIED LIBRARY

OFC OF THE DEPUTY CHIEF OF NAVAL OPS
5 CYS ATTN: NOP 0455

DEPARTMENT OF THE AIR FORCE

AEROSPACE MEDICAL DIVISION, AFSC
ATTN: LIBRARY SCL-4

AIR FORCE HISTORICAL RSCH CTR
ATTN: LIBRARY

AIR FORCE INSTITUTE OF TECHNOLOGY
ATTN: LIBRARY AFIT L DEE

AIR FORCE NUCLEAR TEST REVIEW
4 CYS ATTN: SGPT COL GIBBONS

AIR FORCE WEAPONS LABORATORY, AFSC
ATTN: NT
ATTN: SUL

AIR UNIVERSITY LIBRARY
ATTN: AUL-LSF

DEPARTMENT OF THE AIR FORCE (CONTINUED)

U S AIR FORCE OCCUPATIONAL & ENV HEALTH LAB
4 CYS ATTN: AFNTPR
ATTN: R2

DEPARTMENT OF ENERGY

DEPARTMENT OF ENERGY
ATTN: OMA DP-22

DEPARTMENT OF ENERGY
ATTN: B CHURCH HPD

DEPARTMENT OF ENERGY
ATTN: J THIESEN (ER-70)
ATTN: TECHNICAL INFO CTR (E-201)

UNIVERSITY OF CALIFORNIA
LAWRENCE LIVERMORE NATIONAL LAB
ATTN: L ANSPAUGH
ATTN: L-53 TECH INFO DEPT LIBRARY
ATTN: Y NG

LOS ALAMOS NATIONAL LABORATORY
ATTN: F601 T DOWLER
ATTN: ITO D STILLMAN
ATTN: MS218 P WHALEN

OAK RIDGE NATIONAL LABORATORY
ATTN: C RICHMOND
ATTN: G KERR

OAK RIDGE NATIONAL LABORATORY
ATTN: T JONES

REYNOLDS ELECTRICAL AND ENGR CO, INC
ATTN: CIC
ATTN: LST
ATTN: W BRADY

OTHER GOVERNMENT

CANCER CENTER, NIH
ATTN: A KNUDSON

CENTRAL INTELLIGENCE AGENCY
ATTN: OFFICE OF MEDICAL SERVICES

CONSUMER PRODUCT SAFETY COMMISSION
ATTN: M BLOOM
ATTN: P PRUESS

DEPARTMENT OF COMMERCE
ATTN: C KUYATT
ATTN: J HUBBELL
ATTN: M EHRLICH

DEPARTMENT OF HEALTH & HUMAN SERVICES
ATTN: OFC OF REGULATION REVIEW

DEPARTMENT OF HEALTH & HUMAN SVCS
ATTN: R MURPHY

DEPARTMENT OF LABOR
ATTN: S WEINER

DEPARTMENT OF TRANSPORTATION
ATTN: H L REIGHARD

DEPT OF HEALTH & HUMAN SERVICES
ATTN: C SILVERMAN HFX-101
ATTN: G JOHNSON HFX-4
ATTN: J VILLFORTH HFX-1

ENVIRONMENTAL PROTECTION AGENCY
ATTN: P MAGNO
ATTN: T THORSLUND RD-689

ENVIRONMENTAL PROTECTION AGENCY
ATTN: D ROSENDAUM (ANR-458)
ATTN: N NELSON (ANR-460)
ATTN: W ELLETT (ANR-460)
ATTN: W MILLS (ANR-460)

FEDERAL EMERGENCYS MANAGEMENT AGENCY
ATTN: C SIEBENTRITT
ATTN: H TOVEY
ATTN: OFC OF RSCH/NP H TOVEY

LIBRARY OF CONGRESS
ATTN: SCIENCE & TECHNOLOGY DIV

NASA HEADQUARTERS
ATTN: M/S SBR-3 P RAMBAUT

NATIONAL CANCER INSTITUTE, NIH
ATTN: B WACHOLZ
ATTN: G BEEBE
ATTN: V ZEVE

NATIONAL CANCER INSTITUTE, NIH
ATTN: C LAND
ATTN: J FRAUMENI
ATTN: W BLOT

NATIONAL CANCER INSTITUTE, NIH
ATTN: J GART

NATIONAL CANCER INSTITUTE, NIH
ATTN: A RABSON
ATTN: D PISTENMAA
ATTN: J WYNGAARDEN

NATIONAL INSTITUTE FOR OCCUPATIONAL
ATTN: W MURRAY

NATIONAL INSTITUTES OF HEALTH
ATTN: LIBRARY (ACQUISITION UNIT)

NATIONAL LIBRARY OF MEDICINE, NIH
ATTN: LIBRARY

OTHER GOVERNMENT (CONTINUED)

NATIONAL SCIENCE FOUNDATION
ATTN: P HARRLMAN

NATL HEART, LUNG & BLOOD INSTITUTE, NIH
ATTN: W ZUKEL

OFFICE ON SMOKING & HEALTH
ATTN: J PINNEY

SUBCOMMITTEE OF NUCLEAR REGULATORY
ATTN: J CURTISS

U S HOUSE OF REPRESENTATIVES
ATTN: SUBCOM ON MIL PER & COMP

U S HOUSE OF REPRESENTATIVES
ATTN: SUBCOM ON HEALTH & ENVIR

U S HOUSE OF REPRESENTATIVES
2 CYS ATTN: MAJORITY COUNSEL

U S NUCLEAR REGULATORY COMMISSION
ATTN: R WHIPP FOR F ARSENAULT
ATTN: R WHIPP FOR R MINOGUE
ATTN: R WHIPP FOR W MILLS

U S PUBLIC HEALTH SERVICE
ATTN: LIBRARY

U S SENATE
ATTN: J MCGOVERN

U S SENATE
3 CYS ATTN: MAJORITY COUNSEL

U S SENATE
ATTN: S ULM/RM 103 SENATE COURT

VETERANS ADMIN MEDICAL CENTER
ATTN: K LEE

VETERANS ADMIN MEDICAL CENTER
ATTN: D MCGREGOR

VETERANS ADMIN MEDICAL CENTER
ATTN: C TESSMER

VETERANS ADMIN WADSWORTH HOSPITAL CTR
ATTN: T MAKINODAN

VETERANS ADMINISTRATION
ATTN: A GRAHAM (RADIOLOGY)
ATTN: B POLCARI (COMPENSATION)
ATTN: D BOSCH (BVA)
2 CYS ATTN: D STARBUCK
ATTN: L HOBSON

VETERANS ADMINISTRATION HOSPITAL
ATTN: R YALOW

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

OTHER GOVERNMENT (CONTINUED)

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RO
ATTN: DIRECTOR

VETERANS ADMINISTRATION-RP
ATTN: DIRECTOR

WHITE HOUSE (THE)
ATTN: OFC OF POLICYS DEV (DP)

DEPARTMENT OF DEFENSE CONTRACTORS

ADVANCED RESEARCH & APPLICATIONS CORP
ATTN: R ARMISTEAD

BDM CORP
ATTN: J BRADDOCK

JAYCOR
ATTN: A NELSON

DEPT OF DEFENSE CONTRACTORS (CONTINUED)

KAMAN TEMPO
ATTN: DASAC

KAMAN TEMPO
ATTN: DASAC

LOUISIANA UNIV SCH OF MED, SHREVEPORT
ATTN: LIBRARY

NATIONAL ACADEMY OF SCIENCES
ATTN: C ROBINETTE
ATTN: S JABLON

UNIVERSITY OF NEBRASKA
ATTN: LIBRARY

NORTHROP CORP
ATTN: Z SHANFIELD

OHIO STATE UNIVERSITY
ATTN: LIBRARY

PACIFIC-SIERRA RESEARCH CORP
ATTN: H BRODE, CHAIRMAN SAGE

R & D ASSOCIATES
ATTN: C K B LEE

R & D ASSOCIATES
ATTN: A DEVERILL

RADIATION RESEARCH ASSOCIATES, INC
ATTN: N SCHAEFFER

RAND CORP
ATTN: P DAVIS
ATTN: TECH LIBRARY

RAND CORP
ATTN: B BENNETT

SCIENCE APPLICATIONS INTL CORP
ATTN: C THOMAS
2 CYS ATTN: J GOETZ
ATTN: J MCGAHAN

SCIENTIFIC INFORMATION SERVICES, INC
ATTN: LIBRARY

FOREIGN

CANADIAN EMBASSY
ATTN: LIBRARY

EDF - RETN 1
ATTN: LIBRARY

INDIAN COUNCIL OF MEDICAL RSCH
ATTN: A TASKAR

JAPAN-HAWAII CANCER STUDY
ATTN: G GLOBER

MAURICE DELPLA
ATTN: M DELPLA

MCGILL UNIVERSITY
ATTN: R OSEASOHN

PRESIDENTE UMBERTO COLOMBO
ATTN: LIBRARY

PUERTO RICO SCH OF MEDICINE, UNIV OF
ATTN: LIBRARY

UNITED KINGDOM SCIENTIFIC MISSION
ATTN: MILITARY LIASION FOR D FAKLEY
2 CYS ATTN: PUBLICATIONS (FOR MRC) SO 128

DIRECTORY OF OTHER

AKRON PUBLIC LIBRARY
ATTN: GOVT PUBLICATION LIBRARIAN

UNIVERSITY OF ALABAMA
ATTN: DIRECTOR OF LIBRARIES (REGIONAL)

UNIVERSITY OF ALASKA
ATTN: DIRECTOR OF LIBRARIES

ALLEN COUNTY PUBLIC LIBRARY
ATTN: LIBRARIAN

ANAHEIM PUBLIC LIBRARY
ATTN: LIBRARIAN

UNIVERSITY OF ARIZONA
ATTN: LIBRARIAN

ARKANSAS COLLEGE LIBRARY
ATTN: LIBRARY

ARKANSAS LIBRARY COMM
ATTN: LIBRARY

UNIVERSITY OF ARKANSAS
ATTN: GOVERNMENT DOCUMENTS DIV

BEMIOJI STATE COLLEGE
ATTN: LIBRARY

BRIGHAM YOUNG UNIVERSITY
ATTN: DOCUMENTS COLLECTION

DIRECTORY OF OTHER (CONTINUED)

BROOKHAVEN NATIONAL LABORATORY

ATTN: A B BRILL, MEDICAL DEPT
ATTN: E CRONKITE, MEDICAL DEPT
ATTN: M BENDER, MEDICAL DEPT
ATTN: TECHNICAL LIBRARY
ATTN: V BOND

BURLINGTON LIBRARY

ATTN: LIBRARIAN

CALIFORNIA INSTITUTE OF TECHNOLOGY

ATTN: E LEWIS
ATTN: R CHRISTY

CALIFORNIA STATE LIBRARY (REGIONAL)

ATTN: LIBRARIAN

CALIFORNIA STATE UNIVERSITY

ATTN: LIBRARIAN

UNIVERSITY OF CALIFORNIA

ATTN: GOVERNMENT DOCUMENTS DEPT

CALVIN T RYAN LIBRARY

ATTN: GOVERNMENT DOCUMENTS DEPT

UNIV OF CENTRAL FLORIDA

ATTN: LIBRARY DOCS DEPT

CENTRAL WASHINGTON UNIVERSITY

ATTN: LIBRARY DOCS SECTION

CHARLESTON COUNTY LIBRARY

ATTN: LIBRARIAN

CHARLOTTE & MECHLENBURG COUNTY PUB LIB

ATTN: E CORRELL

CHATTANOOGA HAMILTON CO

ATTN: LIBRARIAN

CHESAPEAKE PUB LIB SYSTEM

ATTN: LIBRARIAN

CHICAGO PUBLIC LIBRARY

ATTN: GOVERNMENTS PUBLICATIONS DEPT

UNIVERSITY OF CHICAGO

ATTN: P MEIER

COLORADO STATE UNIV LIBS

ATTN: LIBRARIAN

UNIVERSITY OF COLORADO

ATTN: LIBRARY

COLUMBIA UNIVERSITY

ATTN: A BLOOM
ATTN: LIBRARY

COLUMBIA UNIVERSITY

ATTN: DIV OF BIOSTATISTICS

COORDINATION & INFORMATION CTR

ATTN: C/O REECD

CORNELL UNIVERSITY

ATTN: W FEDERER

DALLAS PUBLIC LIBRARY

ATTN: LIBRARIAN

DAYTON & MONTGOMERY CITY PUB LIB

ATTN: LIBRARIAN

DECATUR PUBLIC LIBRARY

ATTN: LIBRARIAN

DELTA STATE UNIVERSITY

ATTN: LIBRARIAN

DETROIT PUBLIC LIBRARY

ATTN: LIBRARIAN

DICKINSON STATE COLLEGE

ATTN: LIBRARIAN

UNIVERSITY OF DREW

ATTN: LIBRARY

DULUTH PUBLIC LIBRARY

ATTN: DOCUMENTS SECTION

EAST CAROLINA UNIVERSITY

ATTN: LIBRARY DOCS DEPT

EASTERN BRANCH

ATTN: LIBRARIAN

EL PASO PUBLIC LIBRARY

ATTN: DOCUMENTS & GENEALOGY DEPT

ENOCH PRATT FREE LIBRARY

ATTN: DOCUMENTS OFFICE

EVANSVILLE & VANDERBURGH COUNTY PUB LIB

ATTN: LIBRARIAN

FLORIDA STATE UNIVERSITY

ATTN: DOCUMENTS DEPARTMENT

FOND DU LAC PUBLIC LIB

ATTN: LIBRARIAN

FORT HAYS STATE UNIVERSITY

ATTN: LIBRARIAN

FORT WORTH PUBLIC LIBRARY

ATTN: LIBRARIAN

DIRECTORY OF OTHER (CONTINUED)

FRESNO COUNTY FREE LIBRARY
ATTN: LIBRARIAN

GADSEN PUBLIC LIBRARY
ATTN: LIBRARIAN

MEDICAL COLLEGE OF GEORGIA
ATTN: L STODDARD

GRAND RAPIDS PUBLIC LIBRARY
ATTN: DIRECTOR OF LIBRARIES

GREENVILLE COUNTY LIBRARY
ATTN: LIBRARIAN

GUAM RFK MEMORIAL UNIVERSITY LIB
ATTN: FED DEPOSITORY COLLECTION

HARVARD SCHOOL OF PUBLIC HEALTH
ATTN: J BAILOR
ATTN: LIBRARY
ATTN: R REED

HARVARD SCHOOL OF PUBLIC HEALTH
ATTN: B MACMAHON

HARVARD UNIVERSITY
ATTN: W COCHRAN

UNIVERSITY OF HAWAII
ATTN: LIBRARIAN

UNIVERSITY OF HAWAII
ATTN: Y MATSUMOTO

HOPKINSVILLE COMM COLL
ATTN: LIBRARIAN

IDAHO STATE UNIVERSITY LIBRARY
ATTN: DOCUMENTS DEPARTMENT

UNIVERSITY OF IDAHO
ATTN: DIRECTOR OF LIBRARIES (REGIONAL)

ILLINOIS STATE LIBRARY (REGIONAL)
ATTN: GOVERNMENT DOCUMENTS BRANCH

INDIANA STATE LIBRARY (REGIONAL)
ATTN: SERIAL SECTION

INDIANA UNIVERSITY
ATTN: F PUTNAM

IOWA STATE UNIVERSITY
ATTN: T BANCROFT

JOHNS HOPKINS UNIVERSITY
ATTN: A KIMBALL
ATTN: R SELTSE

KANSAS CITY PUBLIC LIBRARY
ATTN: DOCUMENTS DIV

KANSAS STATE LIBRARY
ATTN: LIBRARIAN

KANSAS STATE UNIV LIBRARY
ATTN: DOCUMENTS DEPT

KANSAS UNIV OF AGRI & APPLIED SCIENCE
ATTN: H FRYER

KENTUCKY DEPT OF LIBRARY & ARCHIVES
ATTN: DOCUMENTS SECTION

UNIVERSITY OF KENTUCKY
ATTN: DIRECTOR OF LIBRARIES (REGIONAL)

KINGSTON HOSPITAL
ATTN: K JOHNSON

LOS ANGELES PUBLIC LIBRARY
ATTN: SERIALS DIV U S DOCUMENTS

LOUISIANA STATE UNIVERSITY
ATTN: DIRECTOR OF LIBRARIES (REGIONAL)

UNIVERSITY OF MAINE
ATTN: LIBRARIAN

MANKATO STATE COLLEGE
ATTN: GOVT PUBLICATIONS

MANTOR LIBRARY
ATTN: DIRECTOR OF LIBRARIES

MARATHON COUNTY PUBLIC LIBRARY
ATTN: LIBRARIAN

UNIVERSITY OF MARYLAND
ATTN: MCKELDIN LIBR DOCS DIV

MAUI PUBLIC LIBRARY
ATTN: LIBRARIAN

MEMORIAL HOSP FOR CANCER & ALLIED DISEASES
ATTN: P LIEBERMAN

MEMORIAL SLOAN-KETTERING CANCER CENTER
ATTN: J LAUGHLIN
ATTN: P MARKS

MEMPHIS SHELBY COUNTY PUB LIB & INFO CTR
ATTN: LIBRARIAN

MERCER UNIVERSITY
ATTN: LIBRARIAN

MERCK, SHARP & DOHME INTL
ATTN: A BEARN

DEPT OF DEFENSE CONTRACTORS (CONTINUED)

MESA COUNTY PUBLIC LIBRARY
ATTN: LIBRARIAN

MIAMI PUBLIC LIBRARY
ATTN: DOCUMENTS DIVISION

UNIVERSITY OF MIAMI
ATTN: P HODES

UNIV OF MICHIGAN MEDICAL SCHOOL
ATTN: J NEEL

MICHIGAN STATE LIBRARY
ATTN: LIBRARIAN

UNIVERSITY OF MICHIGAN
ATTN: R CORNELL

UNIVERSITY OF MICHIGAN
ATTN: F MOORE

MINNESOTA DEPT OF HEALTH
ATTN: D LILIENFELD

UNIVERSITY OF MINNESOTA
ATTN: J BEARMAN
ATTN: L SCHUMAN
ATTN: LIBRARY

MINOT STATE COLLEGE
ATTN: LIBRARIAN

MISSOURI UNIVERSITY LIBRARY
ATTN: GOVERNMENT DOCUMENTS

MONTANA STATE LIBRARY
ATTN: LIBRARIAN

NASSAU LIBRARY SYSTEM
ATTN: LIBRARIAN

NATL COUNCIL ON RADIATION
ATTN: W SINCLAIR

NATRONA COUNTY PUBLIC LIBRARY
ATTN: LIBRARIAN

NEW HAMPSHIRE UNIVERSITY LIB
ATTN: LIBRARIAN

UNIV OF NEW MEXICO
ATTN: C KEY
ATTN: R ANDERSON

NEW YORK PUBLIC LIBRARY
ATTN: LIBRARIAN

NEW YORK STATE LIBRARY
ATTN: DOCS CONTROL CULTURAL ED CTR

UNIV OF NEW YORK STATE
ATTN: LIBRARY DOCUMENTS SEC

NEW YORK UNIV MEDICAL CENTER
ATTN: N NELSON

NEW YORK UNIVERSITY
ATTN: A UPTON
ATTN: B POSTERNACK
ATTN: LIBRARY
ATTN: M EISENBUD

NEW YORK UNIVERSITY AT STONY BROOK
2 CYS ATTN: DR F RAPAPORT
2 CYS ATTN: DR H KUNZ
2 CYS ATTN: DR T GILL III

NEWARK FREE LIBRARY
ATTN: LIBRARIAN

NORTH CAROLINA UNIV AT WILMINGTON
ATTN: LIBRARIAN

UNIVERSITY OF NORTH CAROLINA
ATTN: B GREENBERG
ATTN: LIBRARY FOR DEAN

NORTHERN ARIZONA UNIVERSITY LIB
ATTN: GOVERNMENT DOCUMENTS DEPT

NORTHERN IOWA UNIVERSITY
ATTN: LIBRARY

NORTHERN MICHIGAN UNIV
ATTN: DOCUMENTS

NORTHERN MONTANA COLLEGE LIBRARY
ATTN: LIBRARIAN

NORTHWESTERN MICHIGAN COLLEGE
ATTN: LIBRARIAN

NORTHWESTERN UNIVERSITY
ATTN: H CEMBER

OAK RIDGE ASSOCIATED UNIVERSITIES
ATTN: D LUSHBAUGH
ATTN: E TOMPKINS
ATTN: J TOTTER

OHIO STATE LIBRARY
ATTN: LIBRARIAN

OKLAHOMA DEPT OF LIBS
ATTN: U S GOVT DOCUMENTS

UNIVERSITY OF OKLAHOMA
ATTN: P ANDERSON

OREGON STATE LIBRARY
ATTN: LIBRARIAN

DIRECTORY OF OTHER (CONTINUED)

UNIVERSITY OF OREGON
ATTN: DOCUMENTS SECTION

UNIVERSITY OF OREGON
ATTN: B PIROFSKY

PACIFIC NORTHWEST LABORATORY
ATTN: S MARKS

PENNSYLVANIA STATE LIBRARY
ATTN: GOVERNMENT PUBLICATIONS SECTION

PENNSYLVANIA UNIV HOSPITAL
ATTN: S BAUM

UNIV OF PENNSYLVANIA
ATTN: P NOWELL

PEORIA PUBLIC LIBRARY
ATTN: BUS SCIENCE & TECH DEPT

PHILADELPHIA FREE LIB OF
ATTN: GOVT PUBS DEPT

UNIVERSITY OF PITTSBURGH
ATTN: E RADFORD
ATTN: LIBRARY

UNIVERSITY OF PITTSBURGH
ATTN: N WALD

PUBLIC LIB CINCINNATI & HAMILTON COUNTY
ATTN: LIBRARIAN

RAPID CITY PUBLIC LIBRARY
ATTN: LIBRARIAN

READING PUBLIC LIBRARY
ATTN: LIBRARIAN

UNIVERSITY OF RHODE ISLAND LIBRARY
ATTN: GOVT PUBS OFFICE

ROCHESTER UNIV MEDICAL CTR
ATTN: C ODOROFF
ATTN: G CASARETT

ROCHESTER UNIV OF LIB
ATTN: DOCS SECTION

UNIVERSITY OF ROCHESTER
ATTN: L HEMPELMANN

SAINT FRANCIS HOSPITAL
ATTN: R BLAISDELL

SAN ANTONIO PUBLIC LIBRARY
ATTN: BUS SCIENCE & TECH DEPT

SCOTTSBLUFF PUBLIC LIBRARY
ATTN: LIBRARIAN

SCRANTON PUBLIC LIBRARY
ATTN: LIBRARIAN

SILAS BRONSON PUBLIC LIBRARY
ATTN: LIBRARIAN

SIMON SCHWOB MEM LIB
ATTN: LIBRARIAN

SIOUX CITY PUBLIC LIBRARY
ATTN: LIBRARIAN

MEDICAL UNIV OF SOUTH CAROLINA
ATTN: P LIU

SOUTH DAKOTA STATE LIBRARY
ATTN: FED DOCS DEPT

SOUTHEASTERN MASSACHUSETTS UNIV LIB
ATTN: DOCS SEC

UNIVERSITY OF SOUTHERN ALABAMA
ATTN: LIBRARIAN

UNIV OF SOUTHERN CALIFORNIA
ATTN: J BIRREN

SOUTHERN ILLINOIS UNIVERSITY
ATTN: DOCS CTR

UNIV OF SOUTHERN MISSISSIPPI
ATTN: LIBRARY

SOUTHERN OREGON COLLEGE
ATTN: LIBRARY

SOUTHERN UTAH STATE COLLEGE LIBRARY
ATTN: DOCS DEPT

SOUTHWEST MISSOURI STATE COLLEGE
ATTN: LIBRARY

SPOKANE PUBLIC LIBRARY
ATTN: REF DEPT

SPRINGFIELD CITY LIBRARY
ATTN: DOCS SECTION

STANFORD UNIV MEDICAL CENTER
ATTN: J BROWN

STANFORD UNIVERSITY
ATTN: L MOSES

STANFORD UNIVERSITY HOSPITAL
ATTN: D DORFMAN

STATE LIBR OF MASS
ATTN: LIBRARIAN

TACOMA PUBLIC LIBRARY
ATTN: LIBRARIAN

DIRECTORY OF OTHER (CONTINUED)

UNIVERSITY OF TENNESSEE

ATTN: DIR OF LIBRARIES

TEXAS A & M UNIVERSITY

ATTN: R STONE

UNIV OF TEXAS AT AUSTIN

ATTN: H SUTTON

TEXAS STATE LIBRARY

ATTN: US DOCS SECTION

TEXAS TECH UNIVERSITY LIBRARY

ATTN: GOVT DOCS DEPT

UNIVERSITY OF TEXAS

ATTN: C S COOK

UNIVERSITY OF TEXAS

ATTN: R STALLONES

UNIVERSITY OF TEXAS

ATTN: W SUTOW

UNIVERSITY OF TEXAS

ATTN: G TAYLOR

TOLEDO PUBLIC LIBRARY

ATTN: SOCIAL SCI DEPT

TRENTON FREE PUBLIC LIBRARY

ATTN: LIBRARIAN

UNIVERSITY OF TULSA

ATTN: LIBRARIAN

UTAH STATE UNIVERSITY

ATTN: LIBRARIAN

UNIVERSITY OF UTAH

ATTN: LIBRARY

UNIVERSITY OF UTAH

ATTN: C MAYS

ATTN: E WRENN

ATTN: L LYONS

ATTN: LIBRARY

VANDERBILT UNIVERSITY

ATTN: R QUINN

UNIVERSITY OF VERMONT

ATTN: DIR OF LIBRARIES

VIRGINIA STATE LIBRARY

ATTN: SERIALS SECTION

UNIVERSITY OF VIRGINIA

ATTN: PUBLIC DOCS

WASHINGTON STATE LIBRARY

ATTN: DOCS SECTION

UNIVERSITY OF WASHINGTON

ATTN: D THOMPSON

UNIVERSITY OF WASHINGTON

ATTN: A MOTULSKY

WEST VIRGINIA COLL OF GRAD STUDIES LIB

ATTN: XXXXX

UNIVERSITY OF WEST VIRGINIA

ATTN: DIR OF LIBRARIES (REGIONAL)

WESTERN WYOMING COMMUNITY COLLEGE LIB

ATTN: XXXXX

UNIVERSITY OF WISCONSIN

ATTN: ACQS DEPT

UNIVERSITY OF WISCONSIN

ATTN: J CROW

WORCESTER PUBLIC LIBRARY

ATTN: LIBRARIAN

YALE UNIVERSITY

ATTN: DIR OF LIBRARIES

YALE UNIVERSITY SCH OF MEDICINE

ATTN: J MEIGS

ATTN: LIBRARY

END

DTIC

9-86